

HDMI Extender Senza fili



Guida rapida



Main Unit TX&RX

Adapter x 2



Mounting Ears x4



IR TX Cable x 1, IR RX Cable x 1




3.5mm Male to Male Cable

Porte e interfacce

TX



RX



1. HDMI IN: Connect to Input Sources via HDMI Male Input Port
2. HDMI OUT: Connect to Output Devices via HDMI Male Output Port
3. DC 5V: DC 5V In
4. Loop out: HDMI Loop Out Port for Local View

5. Reset: Long Press 10 Seconds to Reset, Short Click to Match the Sender and Receiver

6. IR IN: IR Signal Input Port

7. IR OUT: IR Signal Output Port

8. Power: Power LED Indicator

9. Link

No Connection: Keep Lighting on


Get Connection: Flash Quickly


10. Status

No Video Signal: Flash Slowly

Get Video Signal: Flash Quickly

Connection Diagram





Introduzione

L'estensore HDMI™ wireless consente di estendere il segnale audio / video HDMI™ fino a 100 metri (328 piedi) tramite la banda a 5 GHz, con una latenza molto bassa. L'estensore HDMI™ wireless include sia il trasmettitore che il ricevitore, ideali per le situazioni di estensione del segnale digitale punto a punto che richiedono video HDMI™ di alta qualità e un luogo che ha la limitazione del collegamento fisico del cavo. Supporta fino a 4 display per mostrare un contenuto sorgente in modo sincrono e risoluzioni fino a 1080p. Consente inoltre all'utente di controllare il dispositivo sorgente dal lato del display tramite il telecomando del dispositivo sorgente.

Caratteristiche

- * Simple Plug and Play, no software installation required
- * Support 5GHz single frequency wireless A/V transmission
- * Wireless extension of HDMI up to 100 meters (328 feet) with no obstruction
- * Compliant with HDCP1.3
- * Support highest video resolution 1080p
- * Support Point-to-Point and Multicast transmission (up to 4 receivers)
- * Support infrared remote to control source device from display side

* Support uncompressed audio such as LPCM

* Support audio sampling rate up to 48 KHz

Specification

Input Port	HDMI x 1
Output Port	HDMI x 1
Wireless Extensions Distance	100m(328 feet) for 1080p
Frequency Band Range	5GHz
Wireless Standard	802.11a
Vertical Frequency Range	50/60Hz
Compress Formats	H.264
IR Frequency Range	20-60KHz
Interlaced Resolutions(50&60Hz)	480i,576i,1080i
Progressive Resolutions(50&60Hz)	480p,576p,720p,1080p
Limited Warranty	1 Year Parts and Labor
Operating Temperature	0°C to 50°C
Storage Humidity	5% to 90% RH non-condensation
Power Supply	DC 5V
Power Consumption (Max)	TX: 3.5W, RX: 3W
Extender Unit Cert	FCC, CE, RoHS
Power Supply Cert	FCC, CE, RoHS
Dimension(LxWxH)	130x100x25.5mm
Net Weight	TX:144g, RX:145g

Material	Metal
User Manual	English Version

Note: Specifications are subject to change without notice.



The Adopted Trademarks HDMI, HDMI High-Definition Multimedia Interface, and the HDMI Logo are trademarks or registered trademarks of HDMI Licensing Administrator, Inc. in the United States and other countries.

All other trademarks, registered trademarks, or service marks are the property of their respective owners.