

GARDEN REVIVAL  
GARDEN CLASSIC  
BOLLARD  
UP&DOWN  
DOWNLIGHT  
IN-GROUND  
BRICKLIGHT  
FLOODLIGHT  
BULKHEAD  
SOLAR  
URBAN CLASSIC  
URBAN REVIVAL  
URBAN MODERN  
POST  
LAMPS

# FRANCY

UP & DOWN




Bulkhead lamp with no visible screws and UP&DOWN light emission. Made of shockproof resin material, UV-rays stabilized, rust and corrosion-free. Supplied with TÜV-CB certified, long-life, efficient **E27 LED lamp** suitable for outdoor use **included**. Insulation class II, protection rating IP66.




*Plafoniera senza viti a vista con emissione della luce UP&DOWN. Realizzata in resina antiurto, stabilizzata ai raggi UV, inattaccabile da ruggine e corrosione. Fornita con inclusa lampadina LED E27 adatta ad uso in ambiente esterno, certificata TÜV-CB, di lunga durata ed elevata efficienza. Classe di isolamento II, grado di protezione IP66.*



1A1.000.F1R



MADE IN ITALY



**FRANCY - COMPONENTS**

IP 66



**COVER** with no visible screws made of shockproof resin material UV-rays stabilized. Designed for getting UP&DOWN or side light emission.

**COVER** senza viti a vista realizzata in resina antiurto, stabilizzata ai raggi UV. Disegnata per ottenere un'emissione laterale della luce.

**DIFFUSER** made of UV-rays stabilized polymethylmethacrylate (PMMA) screwed to the bulkhead base.

**DIFFUSORE** realizzato in polimetilmetacrilato (PMMA) stabilizzato ai raggi UV da avvitare alla base della plafoniera.

**BASE** made of shockproof resin material, UV-rays stabilized, suitable for the electrical devices fixation. Provided with E27 lampholder and with silicone rubber gasket to ensure high protection against external agents.

**BASE** realizzata in resina antiurto, stabilizzata ai raggi UV, adatta ad alloggiare gli accessori elettrici. Fornita completa di portalampada E27 e di guarnizione in gomma silconica per garantire un alto livello di protezione contro gli agenti esterni.

**FRANCY**



**Dimensions and weight**

Width: 130 mm  
Height: 300 mm  
Depth: 90 mm  
Weight: 0,7 Kg

**Moulded Colours:**

Black  Grey  White

**Diffuser PMMA:**

Opal

**E27**




Bulkhead supplied **fully pre-wired** with **E27** lampholder. Provided with TÜV-CB certified, long-life, efficient **E27 LED lamp** suitable for outdoor use. Quick and easy lamp replacement for a very simple maintenance after installation.

**100 - 240 V**

LAMP	POWER	LUMINOUS FLUX UP TO	COLOUR TEMP.	*ADD. SUFFIX
FILAMENT LED E27	<b>6,5 W</b>	<b>800 lm</b>	2700 K	.F1R
CCT SET LED E27 (*)	<b>8,5 W</b>	<b>920 lm</b>	6500 K 4000 K 2700 K	.V1K

**E27 with sensor**



Bulkhead supplied **fully pre-wired** with **E27** lampholder and **LED lamps** as an option. Complete with microwave daylight and motion **sensor**. Sensor operating voltage: 220-240V. (120V version available on demand).


LAMP	POWER	LUMINOUS FLUX UP TO	COLOUR TEMP.	*ADD. SUFFIX
FILAMENT LED E27	<b>6,5 W</b>	<b>800 lm</b>	2700 K	.S1R
CCT SET LED E27 (*)	<b>8,5 W</b>	<b>920 lm</b>	6500 K 4000 K 2700 K	.VSK

**LED LAMPS**



Comply with: EU2019/2015  
EU2019/2020  
Technical details on page 636.

**CCT SETTABLE LED LAMP (\*)**



CCT switch settable in three different positions, to select the desired Kelvin temperature (2700K/4000K/6500K) and get a customized ambience.


6,5W filament = 60W incandescent  
8,5W CCT


**SAVE up to 89%**

\* ADD THESE SUFFIXES TO THE REFERENCES MENTIONED IN THE CATALOGUE

# FRANCY

UP&DOWN





FRANCY		
<b>6,5W</b>	2700K	1A1.000.F1R
<b>8,5W</b>	2700K/4000K/6500K	1A1.000.V1K
E27 LED LAMP INCLUDED		
Pcs 24 Kg 18,2 mc 0,12		